



2024 Q3

Product Catalog

傲研科技資訊有限公司

傲研科技(深圳)有限公司

www.ocpcgaming.com





About OCPC

OCPC 成立于 2007 年，我们设计和制造高性能 PC 硬件，例如台式机内存、笔记本电脑内存、服务器内存、SSD。OCPC 自 2010 年开始制造显卡，并于 2011 年为 CPU 冷却解决方案组建了新的研发团队。我们的冷却团队曾与台湾著名品牌 Bitspower 合作开发 AIO CPU 液体冷却器。2023 年，OCPC 与 ASETEK 合作提供高端液体冷却解决方案。

Hong Kong:

傲研科技資訊有限公司

DTG Neo Scientific Ltd.

Unit D, 13/F, Chiu Tat Factory Building, 108 King Fuk Street, San Po Kong, Kowloon, HK.

China:

傲研科技(深圳)有限公司


2nd floor, Xinjiechuang, Tongchuang Innovation Industrial Park, near No. 39 Hongyin Road, Guangming District, Guangdong, Shenzhen, China

ddr5

MEMORY SOLUTION


DDR5 / DDR4 MEMORY
(内存模块)

MEMORY SOLUTION | DDR5 Desktop / Laptop Memory




PISTA RGB BLACK LABEL

Speed: DDR5 4800-8000MHz
Capacity*: 128GB /64GB /48GB
/32GB /16GB /8GB



PISTA RGB WHITE LABEL

Speed: DDR5 4800-8000MHz
Capacity*: 128GB /64GB /48GB
/32GB /16GB /8GB



PISTA RGB TITAN

Speed: DDR5 4800-8000MHz
Capacity*: 128GB /64GB /48GB
/32GB /16GB /8GB



VOLARE BLACK LABEL

Speed: DDR5 4800-8000MHz
Capacity*: 128GB /64GB /48GB
/32GB /16GB /8GB



VOLARE GOLD LABEL

Speed: DDR5 4800-8000MHz
Capacity*: 128GB /64GB /48GB
/32GB /16GB /8GB



VOLARE SILVER LABEL

Speed: DDR5 4800-8000MHz
Capacity*: 128GB /64GB /48GB
/32GB /16GB /8GB



V-SERIES

Speed: DDR5 4800-6200MHz
Capacity*: 128GB /64GB /48GB
/32GB /16GB /8GB



V-SERIES

Speed: DDR5 4800-6200MHz
Capacity*: 128GB /64GB /48GB
/32GB /16GB /8GB

MEMORY SOLUTION | DDR4 Desktop / Laptop Memory



X3TREME RGB BLACK LABEL

Speed: DDR4 3200-4866MHz
Capacity*: 128GB /64GB /32GB
/16GB /8GB



X3TREME RGB WHITE LABEL

Speed: DDR4 3200-4866MHz
Capacity*: 128GB /64GB /32GB
/16GB /8GB



X3TREME RGB RED

Speed: DDR4 3200-4866MHz
Capacity*: 128GB /64GB /32GB
/16GB /8GB



XTREME WHITE

Speed: DDR4 3200-4866MHz
Capacity*: 128GB /64GB /32GB
/16GB /8GB



V-SERIES

Speed: DDR4 2133-3600MHz
Capacity*: 128GB /64GB /32GB
/16GB /8GB



V-SERIES (SoDimm for Laptop)

Speed: DDR4 2133-3600MHz
Capacity*: 128GB /64GB /32GB
/16GB /8GB

STORAGE SOLUTIONS

SOLID STATE DRIVE

(内存模块)



M.2 NVMe EXPRESS
Authorized Adopter

OCZ
SSD NVMe M.2 PCIe Gen4

4

Developed by OCZ Gaming USA, Inc.

OCZ
SSD NVMe M.2 PCIe Gen4

4

Developed by OCZ Gaming USA, Inc.

OCZ
SSD NVMe M.2 PCIe Gen4

4

Developed by OCZ Gaming USA, Inc.

OCZ
SSD NVMe M.2 PCIe Gen4

4

Developed by OCZ Gaming USA, Inc.



MBL-500 GEN5x4
2TB/1TB/512GB
Up to R10,000 / W10,000 MB/s

MEMORY SOLUTION | SSD M.2 PCIe NVMe 4.0



MBL-410 GEN4x4 with DRAM
4TB/2TB/1TB/512GB
Up to R7400 / W6700 MB/s



MBL-401 GEN4x4 (without DRAM)
4TB/2TB/1TB/512GB
Up to R7000 / W6000 MB/s



MBL-400 GEN4x4 without DRAM
4TB/2TB/1TB/512GB
Up to R5000 / W4600 MB/s

MEMORY SOLUTION | SSD M.2 PCIe NVMe 3.0



MHP-300 M.2 PCIe GEN3x4 (with Heatsink)
4TB/2TB/1TB/512GB
Up to R3300 / W2900 MB/s



MFL-300 M.2 PCIe GEN3x4
4TB/2TB/1TB/512GB
Up to R3300 / W2900 MB/s



MFL-300S M.2 PCIe NVMe 2230
2TB/1TB/512GB
Up to R500 / W450 MB/s

MEMORY SOLUTION | SSD 2.5" SATA III



XTL-200 XTREME LITE SERIES
4TB/2TB/1TB/512GB
Up to R500 / W450 MB/s



XTG-200 XTREME TITAN SERIES
4TB/2TB/1TB/512GB
Up to R500 / W450 MB/s


MEMORY SOLUTION | PORTABLE SSD



AZZ-100 PORTABLE PCIE SSD
2TB/1TB/512GB
Ultra High Speed 5Gbps



AZZ-200 DUAL PORTABLE SSD
1x PCIe + 1x NGFF
2TB/1TB/512GB (per slot)



DISPLAY SOLUTIONS

NVIDIA / AMD
(游戏显卡)

| 40-SERIES



- RTX 4090
- RTX 4080
- RTX 4070 Ti
- RTX 4070
- RTX 4060 Super
- RTX 4060

| 30-SERIES



- RTX 3090
- RTX 3080
- RTX 3070 Ti
- RTX 3070
- RTX 3060 Ti
- RTX 3060
- RTX 3050

| 20-SERIES



- GTX 2080
- GTX 2070
- GTX 2060 Super
- GTX 2060

| 16-SERIES



- GTX 1660 Ti
- GTX 1660 Super
- GTX 1660
- GTX 1650 Super
- GTX 1650

| 10-SERIES



- GT 1050 Ti
- GT 1030

| Low Profile



- GT 1030
- GT 730
- GT 710
- GT 610
- GT 210

| RX6000-SERIES



- RX 6950 XT
- RX 6900 XT
- RX 6750 XT
- RX 6600 XT
- RX 6600

| RX5000-SERIES



- RX 5700 XT
- RX 5700
- RX 5600 XT
- RX 5500 XT
- RX 5500

| RX500-SERIES



- RX 580 (16GB)
- RX 580 (8GB)
- RX 550 (8GB)
- RX 550 (4GB)

| HD4000-SERIES




- HD 4850
- HD 4350

| Low Profile



- HD 6350
- HD 5450
- HD 4350



DISPLAY SOLUTIONS

DP / HDMI / USB-C

(显示连接线)



DP to DP 16K UHD

- Model: DP2DP16K
- Display Port to Display Port
- 16K / 80Gbps Ultra HD



DP to DP

- Model: DP2DP8K
- Display Port to Display Port
- DP 1.4



Optical Fiber HDMI

- Model: AOCHDMI
- 8K UHD / 60Hz
- Data Speed: 48Gbps



Type-C to Type-C

- Model: USBC2USBCPD240
- PD4.0 Support 240W
- 8K UHD / 60Hz



Type-C to Type-C

- Model: USBC2USBC31
- PD3.0 Support 100W
- 4K UHD / 60Hz



Type-C to HDMI

- Model: USBC2HD
- PD3.0 Support 100W
- 4K UHD / 60Hz



HDMI to HDMI

- Model: HD2HD
- 4K HD HDMI 2.1
- Support 3840x2160



DP to HDMI

- Model: DP2HD2
- 4K HD Adapter
- Support 3840x2160



mDP to HDMI

- Model: MDP2HD
- Mini DP to HDMI
- 4K Support 3840x2160



Type-C to DP

- Model: USBC2DP
- Type-C to Display Port 1.4
- 8K 7680x3840 @ 30Hz



Type-C to HDMI/USB/Type-C

- Model: USBC2HDU3UC
- PD3.0 Support 100W
- 4K UHD / 60Hz

COOLING SOLUTIONS


CPU AIO LIQUID COOLER

(CPU 液冷散热器)

Cooled by



Asetek





TURBOCOOL 2

- Cooled by **ASETTEK**
- Ultra High Performance
- ARGB Sync



Pump Speed: 3600 Rpm +/-300Rpm
 Fan Speed: 300-2450 Rpm
 Rated Voltage: 12 VDC
 Air Flow: 79.9 CFM
 Noise Level: 30 dBA
 Air Pressure: 3.26mm-H2O
 Bearing Type: Hydro Bearing
 240 Radiator: 276x120x27mm
 360 Radiator: 396x120x27mm
 Intel: LGA 115x/1200/1700/1851
 AMD: AM4/AM5
 Color: Black



TURBOCOOL 1

- Cooled by **BITSPOWER**
- Ultra High Performance
- ARGB Sync



Pump Speed: 2200 Rpm +/-220Rpm
 Fan Speed: 800-1800 Rpm
 Rated Voltage: 12 VDC
 Air Flow: 44 CFM
 Noise Level: 28 dBA
 Air Pressure: 2.0mm-H2O
 Bearing Type: Hydro Bearing
 240 Radiator: 296x120x27mm
 360 Radiator: 395x120x27mm
 Intel: LGA 775/1200/115x/1136/2011/2011v3 /2066
 AMD: FM1/FMA2/FM2+/AM2(+)/AM3(+)
 Color: Black



TURBOCOOL BL

- Black Label Series
- 360/240/120mm
- ARGB Sync

Pump Speed: 2200 Rpm +/-220Rpm
 Fan Speed: 800-2000 Rpm
 Current: 12 VDC
 Air Flow: 56 CFM
 Noise Level: 24 dBA
 Air Pressure: ~2.5mm-H2O
 Bearing Type: Hydro Bearing
 240 Radiator: 296x120x27mm
 360 Radiator: 395x120x27mm
 Intel: LGA 775/1200/115x/1136/2011/2011v3/2066
 AMD: FM1/FMA2/FM2+/AM2(+)/AM3(+)
 Color: Black



I.C.E.-TG4

- Ultra High Cooling Performance
- Metal-free
- Non-conductive

Specific Gravity: 2.8g/cm
 Thermal Conductivity: 13.8W/m-K
 Temperature Stability: -50°C~ +250°C
 Color: Gray



COOLING SOLUTIONS

CPU AIR COOLER

(CPU 风冷散热器)



I.C.E.-240 Series

- Black Label Series
- 2x 120mm FDB Fans


Rated Voltage:	12V DC
Rated Current:	1.1A
Power Input:	4.8W
Fan Speed:	800-2000 Rpm
Pin Connect	4Pin + 3Pin ARGB
Air Flow:	75.4 CFM
Noise Level:	37 dBA
Air Pressure:	1.96mm-H2O
Bearing Type:	Hydro Bearing
Heat pipe:	6mm x 4 cooper pipes
Dimension:	100x118x155mm
Fan Dimension	120x120x25mm
Intel:	115x/1200/1700
AMD:	FM/FM2/AM2(+)/AM3(+)/AM4/AM5
Color:	Black



I.C.E.-120 Series

- Ultra High CPU Cooling Performance
- Mirror RGB/ARGB Lighting Effect

Rated Voltage:	12V DC
Rated Current:	0.4A
Power Input:	4.8W
Fan Speed:	800-1800 Rpm
Pin Connect	4Pin
Air Flow:	74.5 CFM
Noise Level:	37 dBA
Air Pressure:	1.96mm-H2O
Bearing Type:	Hydro Bearing
Heat pipe:	6mm x 2 cooper pipes
Dimension:	120x73x154mm
Fan Dimension	120x120x25mm
Intel:	115x/1200/1700
AMD:	FM/FM2/AM2(+)/AM3(+)/AM4/AM5
Color:	Black/White



I.C.E.-90R Series

- Ultra High CPU Cooling Performance
- Mirror RGB Lighting Effect

Rated Voltage:	12V DC
Rated Current:	0.23A
Power Input:	2.76W
Fan Speed:	1900 Rpm
Pin Connect	3Pin
Air Flow:	40 CFM
Noise Level:	24 dBA
Air Pressure:	1.82mm-H2O
Bearing Type:	Hydro Bearing
Heat pipe:	6mm x 2 cooper pipes
Dimension:	100x66x122mm
Fan Dimension	92x92x25mm
Intel:	115x/1200/1700
AMD:	FM/FM2/AM2(+)/AM3(+)/AM4/AM5
Color:	Black/White

I.C.E.-90 Series

- Ultra High CPU Cooling Performance
- RGB Lighting Effect


Rated Voltage:	12V DC
Rated Current:	0.23A
Power Input:	2.76W
Fan Speed:	1900 Rpm
Pin Connect	3Pin
Air Flow:	40 CFM
Noise Level:	24 dBA
Air Pressure:	1.82mm-H2O
Bearing Type:	Hydro Bearing
Heat pipe:	6mm x 2 cooper pipes
Dimension:	100x66x122mm
Fan Dimension	92x92x25mm
Intel:	115x/1200/1700
AMD:	FM/FM2/AM2(+)/AM3(+)/AM4/AM5
Color:	Black/White



COOLING SOLUTIONS

PC CASE FAN

(机箱风扇)



F1 ARGB Case Fan

- Ultra High Performance
- ARGB Lighting
- Advanced PWM Function

Rated Voltage:	12V DC
Rated Current:	0.08A
Power Input:	1.4W
Fan Speed:	900 Rpm +/- 100 Rpm
Pin Connect	4Pin (PWM)
Air Pressure:	0.49mm-H2O
Air Flow:	37.6 CFM
Noise Level:	19.8 dBA
Bearing Type:	Hydraulic Bearing
Operation Life:	40000 Hours
Fan Dimension	120x120x25mm
Color:	Black/White

F1 Silent Case Fan

- Ultra High Performance
- Silent Performance
- Advanced PWM Function

Rated Voltage:	12V DC
Rated Current:	0.08A
Power Input:	1.4W
Fan Speed:	900 Rpm +/- 100 Rpm
Pin Connect	4Pin (PWM)
Air Pressure:	0.49mm-H2O
Air Flow:	37.6 CFM
Noise Level:	19.8 dBA
Bearing Type:	Hydraulic Bearing
Operation Life:	40000 Hours
Fan Dimension	120x120x25mm
Color:	Black/White



VELOCITA Series

- Ultra High Performance
- IC Motor Controller
- Advanced PWM Function

Rated Voltage:	12V DC
Rated Current:	0.12A
Power Input:	1.4W
Fan Speed:	800-2000 Rpm
Pin Connect	4Pin (PWM)
Air Flow:	56 CFM
Noise Level:	24 dBA
Bearing Type:	Fluid Dynamic Bearing
Operation Life:	40000 Hours
Fan Dimension	120x120x25mm
Color:	Black/White

VELOCITA ARGB Series

- Ultra High Performance
- Addressable RGB lighting
- Advanced PWM Function

Rated Voltage:	12V DC/ARGB 5V DC
Rated Current:	0.12A
Power Input:	4.2W
Fan Speed:	800-2000 Rpm
Pin Connect	4Pin (PWM)
Air Flow:	56 CFM
Noise Level:	24 dBA
Bearing Type:	Fluid Dynamic Bearing
Operation Life:	40000 Hours
Fan Dimension	120x120x25mm
Color:	Black/White



GPU COOLING SOLUTION

GPU COOLING STAND

(显卡散热器)




POLE P1 MONITOR
GPU Stand with Monitor

GPU STAND MONITOR

GPU COOLING STAND

(显示卡监控显示屏支架)



PC CHASSIS

STANDARD Series

(电脑机箱)



CASA

- Dual Tempered Glass Panels
- High Cooling Infra-structure
- Spacious Interior

Case Size:	434x245x473mm
Material:	SPCC+ Tempered Glass
MB Support:	ATX/M-ATX/ITX
PCI:	7 pcs
Fan:	Top: 120/140mm*3; Bottom: 120mm*3 Rear: 120/140mm*1; Side: 120mm*3
Radiator:	Top: 240/280/360mm; Rear: 120/140mm
I/O:	HD Audio; USB 3.1*1 + USB 3.0*1
Drive Bays:	3.5 HDD*3; 2.5 SSD*3
Max CPU cooler Height:	180mm
Max GPU Length:	403mm
Max PSU Height:	200mm
Color:	Black/White



SCURA

- Dual Tempered Glass Panels
- High Cooling Infra-structure
- Spacious Interior

Case Size:	400x200x485mm
Material:	Aluminum/Tempered Glass
MB Support:	ATX/M-ATX/ITX
PCI:	7pcs Horizontal / 2pcs Vertical
Fan:	Top: 120mm*2 Front: 120mm*3; Back: 120mm*1
Radiator:	Front: 240/280/360mm Top: 240/280mm Rear: 120mm
I/O:	HD Audio; USB 3.1*1 + USB 3.0*1
Drive Bays:	3.5 HDD*2; 2.5 SSD*3
Max GPU Length:	340mm
CPU Cooler:	165mm
Color:	Black



SCURA

- Ultra-Cooling Infrastructure
- Mesh Front Panel with 2x140mm Fans
- Hinge Side Tempered Glass Panel

Case Size:	350x200x390mm
Material:	Steel/Tempered Glass
MB Support:	M-ATX/Mini-ITX
PCI:	4pcs
Fan:	Top: 120mm*2 Front: 140mm*2 ARGB (Included) Back: 120mm*1
Radiator:	Front: 240/280mm Rear: 120mm
I/O:	HD Audio; USB 2.0*2 + USB 3.0*1
Drive Bays:	3.5 HDD*2; 2.5 SSD*1
Max GPU Length:	295mm
CPU Cooler:	160mm
Color:	Black



NOVA

- Compact Design
- Tempered Glass + Mesh
- Hidden Cable Management

Case Size:	360x218x380mm
Material:	Steel SPCC/Tempered Glass
MB Support:	M-ATX/ITX
PCI:	4pcs
Fan:	Top: 120/140mm*2 Front: 120mm*2 Rear: 120mm*1
Radiator:	Top: 240/280/mm Rear: 120mm
I/O:	HD Audio; USB 1.1*2 + USB 3.0*1
Drive Bays:	3.5 HDD*1; 2.5 SSD*2
Max GPU Length:	300mm
CPU Cooler:	185mm
Color:	Black



PC CHASSIS

Designer Series



MICRO

- Italian Design Open Case
- Most Compact M-ATX Size
- Multiple Colors

Dimension: 350x160x265mm
 Material: Steel
 MB Support: M-ATX/Mini-ITX/DTX
 Expansion Slot: 3
 Radiator: 120mm*2 or 140mm*1
 Drive Bays: 2.5 SSD*2 (up to 4 stacked)
 Color: Black/White

MINI-2

- Italian Design Open Case
- Most compact size
- Multiple Colors

Dimension: 263x130x210mm
 Material: Steel
 MB Support: ITX
 Expansion Slot: 1
 Radiator: 120mm*2 or 140mm*1
 Drive Bays: 2.5 SSD*1
 Color: Black/White



VITTORIA

- Ultra Compact Size
- Unique Italian Design
- Unique Tempered Glass Design

Dimension: 320x140x260mm
 Material: Aluminum/Tempered Glass
 MB Support: Mini-ITX
 Front I/O: USB 3.0*3
 Fan: Top: 120mm*2
 Drive Bays: 2.5 SSD/HDD*2
 CPU Cooler Support: 62mm
 PCI Slot Support: 305mm (Dual)
 Color: Black/White

POWER SOLUTIONS

HIGH PERFORMANCE PSU

(专业电源装置)





ENERGIA2 Platinum 80+

Level: Platinum 80+
Rated Power: 1200W / 1000W
MTBF: 100.000Hours
Fan Size: 140mm
Fan Bearing: Hydraulic
Modular: Full Modular



ENERGIA2 Gold 80+

Level: Gold 80+
Rated Power: 1000W / 850W / 750W
MTBF: 100.000Hours
Fan Size: 140mm
Fan Bearing: Hydraulic
Modular: Full Modular



ENERGIA2 Bronze 80+

Level: Bronze 80+
Rated Power: 750W / 650W
MTBF: 100.000Hours
Fan Size: 140mm
Fan Bearing: Hydraulic
Modular: Full Modular



ENERGIA Bronze 80+

Level: Bronze 80+
Rated Power: 750W / 650W / 550W
MTBF: 100.000Hours
Fan Size: 120mm
Fan Bearing: Hydraulic
Modular: Non Modular



ENERGIA White 80+

Level: White 80+
Rated Power: 650W / 550W
MTBF: 100.000Hours
Fan Size: 120mm
Fan Bearing: Hydraulic
Modular: Non Modular



ENERGIA White

Level: White 80+
Rated Power: 550W / 500W / 450W
MTBF: 100.000Hours
Fan Size: 120mm
Fan Bearing: Hydraulic
Modular: Non Modular

BELLO



ESPORTS SOLUTIONS

GAMING PERIPHERALS

(专业游戏配件)



KR-1

- 104 Keys Mechanical Wired Keyboard
- Full Mechanical GATERON (Red switch)
- Software customized RGB effects
- Hot-Swappable Key Switches



ZEROPRO

- 104 Keys Mechanical Wired Keyboard
- Full Mechanical Outemu (blue switch)
- Hot-Swappable Key Switches
- Partial Anti-Ghost



ZEROCOMPACT

- 87 Keys Mechanical Wired Keyboard
- Full Mechanical Outemu (blue switch)
- Hot-Swappable Key Switches
- Partial Anti-Ghost



ZEROMINI

- 61 Keys Mechanical Wired Keyboard
- Full Mechanical Outemu (blue switch)
- Hot-Swappable Key Switches
- Partial Anti-Ghost



BELLA & BELLO

- Virtual 7.1CH Gaming Headset
- Type-C plug for PC & Mobile



MR-59

- 3 Ways: Bluetooth/2.4/Type C
- PIXART 3395 Up to 266000 DPI
- Ultra light 59gram only
- Color: Black / White



MR-44

- 7D Optical Gaming Mouse
- DPI: Up to 16000 DPI
- Programmable RGB Effects
- Color: Black / White



MR-22

- 7D Wireless Gaming Mouse
- DPI: 1200 / 2400 / 3200 / 7200
- Interface Type: Wireless 2.4Hz
- Color: Creamy Grey / Black



MR-11

- 7D Optical Gaming Mouse
- DPI: 1200 / 2400 / 3200 / 7200
- Interface Type: USB
- Color: Creamy Grey / Black



MR-8

- 7D Optical Gaming Mouse
- DPI: 1200 / 2400 / 3200 / 7200
- Interface Type: USB
- Color: Creamy Grey / Black



CDR Series

- Material: CORDURA Advanced Fabric
- Size: M/L/XL



JQR Series

- Material: Jacquard Fabric
- Size: M/L/XL



LTR Series

- Material: Premium PU Leather
- Size: M/L/XL



ESPORTS SOLUTIONS

GAMING PERIPHERALS

(专业游戏配件)

GAMING SOLUTION | Mesh Gaming/Office Chair



AIRMESH800

- Model: AIR-800
- Material: Mesh Fabric
- Feature: 4D with footrest



AIRMESH600

- Model: AIR-600
- Material: Mesh Fabric
- Feature: 3D Design Ergonomic

GAMING SOLUTION | Professional Gaming Chair



RUSCELLO

- Model: RUS-100
- Material: Premium Fabric
- Feature: 4D Design Ergonomic



FUOCO

- Model: FUU-100
- Material: Fabric / PU Leather
- Feature: 4D Ergonomic



SATAZ

- Model: SATAZ
- Material: Fabric / PU Leather
- Feature: 4D Ergonomic



XTREME 3

- Model: XT3
- Material: Fabric / PU Leather
- Feature: 2D Ergonomic



AMORE

- Model: ARM12
- Material: PU Leather
- Feature: 3D Ergonomic
- For Age 5-12

GAMING SOLUTION | Professional Gaming Desk



FIERO

- Model: Fiero
- Material: Wood/Metal
- Feature: Adjustable height

MOBILE SOLUTIONS

MOBILE PHONE ACCESSORIES

(手机配件)



MOBILE SOLUTION | Wireless Charger



Wireless Charger

- 3-in-1 Wireless Charger
- Mobile/watch/earphone



Wireless Charger

- 3-in-1 Wireless Charger
- Mobile/watch/earphone



Wireless Charger

- 3-in-1 Wireless Charger
- Mobile/watch/earphone

MOBILE SOLUTION | Power Bank



Wireless PowerBank

- Model: WLPB5000
- Capacity: 5,000-10,000 MAh
- For Smartphone



PowerBank

- High Capacity Power Bank
- Capacity: 5,000-10,000 MAh
- For Smartphone



PowerBank

- High Capacity Power Bank
- Capacity: 5,000-20,000 MAh
- For Smartphone / Laptop

MOBILE SOLUTION | Magnetic Wallet



Wireless Leather Card Holder

- Model: WLCH
- Material: PU Leather
- For Smartphone

MOBILE SOLUTION | Apple Watch Band



Leather Watch Band

- Material: PU Leather
- For Apple Watch

MOBILE SOLUTION | Apple iPhone Case



iPhone Leather Case

- Material: PU Leather
- For Apple iPhone